



Crown & Bridge Personal Request Form

Office Information

Doctor: _____ Phone: () _____
Address: _____ Drs. Email _____
_____ Office Email _____
_____ Website _____

Key Contact Name(s): _____

Additional Doctors in Office: _____

Permission to Send Information via Email _____

Crown and Bridge Technical Specifications

Alloy Selection: High Noble ___ Semi Precious ___ Non Precious ___
Occlusion: All Porcelain ___ 1/2 Metal ___ Case Specific ___
Margins: Porc Butt ___ No Metal Show ___ Lingual Collar ___
360 Collar ___ Case Specific ___
Contacts: Broad ___ Normal ___ Point ___
Foil Relief: 1 Layer ___ 2 Layer ___ No Foil ___
Centric Contact: Positive ___ Cusp Fossa ___ Slightly Out ___ No Excursive Contact ___
Pontic Design: Hygienic ___ Ridge Lap ___ Ovate ___ Modified Ridge Lap ___
Insufficient Occlusal Clearance: Reduction Coping ___ Adjust Opposing ___ Call ___
Metal Island ___ Metal Occlusion ___

Special Crown and Bridge Requests

Implants Technical Specifications

Trays: Open ___ Closed ___
Abutments: Custom Abutments ___ Scanned Titanium ___ Scanned Zirconia ___
Stock Abutment ___ Screw Retained ___
Surgical Stent: Yes ___ No ___

Special Implant Requests

